

PROJECT	NOTES	TYPE	DATE	CAT. No.
---------	-------	------	------	----------

SKY

SkyLux 52" Ceiling Fan

The SKY series are a family of ceiling fans featuring a simple 3 blade design. The clean lines and modern design of this AC Motor LED fan makes an elegant addition to your contemporary home décor. The reversible feature makes this fan perfect to use during every season. (While supplies last)




FINISH OPTIONS ON PAGE 3

INPUT VOLTAGE	120V
INPUT FREQUENCY	50/60 Hz
RATED WATTAGE	2-9W LED Bulbs
DELIVERED LUMENS	650Lm
EFFICACY	72 LPW (typ.)
CRI	80CRI
AVAILABLE CCT	3000K
FAN DIAMETER	52"
MOTOR LEAD LENGTHS	17"
MOTOR SIZE	AC 153mm x 13mm
ELECTRICITY USE (H/M/L)	54.81W / 29.5W / 12.01W
AMPS (H/M/L)	0.45 / 0.35 / 0.22
LENS TYPE	Glass

COLOR CONSISTENCY	5-Step MacAdams Ellipse
RATED LIFE	50,000hrs (Based on 3hrs a Day)
L70	>72,000hrs or >45,000
POWER FACTOR	>0.99
THD	<20%
DIMMING	Yes
OPERATING TEMP.	-0.4°F - 104°F / -18°C to 40°C
RPM (H/M/L)	190 / 145 / 88
AIRFLOW EFFICIENCY (CFM/W)	89
AIRFLOW (CFM)	High Speed: 5,215
AVERAGE AIRFLOW CFMave	3790
BEAM ANGLE	N/A

ORDER INFO / EXAMPLE: SKY-52-3-2MB-120D-830-BN-SL-PC

SERIES	SIZE	FAN BLADE	LIGHT SOURCE	DRIVER TYPE	COLOR TEMP	FINISH	BLADE COLOR	ACCESSORY
SKY	52	3	2MB	120D	830	BN	SL	PC
SKY SkyLux Ceiling Fan	52- 52" Sweep	3- 3 Blades 4- 4 Blades 5- 5 Blades	2MB- 2 Medium Base Socket (2) 9W, 650 Lumens 18- 18W Intergrated LED	120D- 120V Dimmable	830- 3000K, 80CRI	BN- Brushed Nickel WH- White BL- Black	SL- Silver WH- White BL- Black SB- Silver / Black Reversible	PC- Pull Chain WC- Wall Control



	A	B	C	D	Case QTY
SKY	18"	5"	9-1/2"	10-1/3"	1

CONSTRUCTION

Steel Housing, Plywood Blades and Frosted Glass Light Diffuser provides uniform appearance without pixelation.

MOTOR

3-Speed AC Motor with 17" Lead Wire and Dual Mount feature. Includes (1) 5" Downrod.

QUALIFICATIONS

All ceiling fans are built to UL 507 standards, and bear appropriate ETL labels. Dry location labeling is standard.

BLADES

52" Sweep; 3, 4 or 5 Blade

ELECTRICAL

Operates at 120V 60HZ. Optional Remote Control (Sold Separately). Optional Wall Control (Sold Separately).

WARRANTY

Light Source: 3-year limited warranty. Motor: Limited Lifetime Warranty. Non-Electrical 1 Year Limited Warranty. See complete warranty for terms and exclusions. (Labor not included).

COMPATIBLE JUNCTION BOXES



4" PVC Ceiling Box

QUICK SHIP (WHILE SUPPLIES LAST)

SKY-52-3-2MB-120-830-BL-BL-PC

SKY-52-3-2MB-120D-830-BN-SL-PC

FINISH OPTIONS / ACCESSORIES



Wall Control



Remote Control

DOWNROD OPTIONS



Black



Brushed Nickel

SIZES

12"

18"

24"


36"

48"

60"

72"

INSTALLATION INSTRUCTIONS



Made to order items. Minimum 90 day lead time. Minimum order quantity may vary please contact sales.

¹ DLC Listed / ² DLC Premium Listed / ³ Title 24 / ⁴ JA8 & Title 24 / Typical color consistency. May vary or be changed.

L70 hours calculated based on LED package manufacturer LM80 report and ISTMT report of LED in luminaire. Stated values are for select catalog numbers. Contact Globalux for detailed information. / Actual performance may differ as a result of end-user environment and application. All values are design or typical values, measured under laboratory conditions at 25 °C.